

**Notice of Allowability**

Application No.

10/617,404

Examiner

Hwei-Siu C. Payer

Applicant(s)

GORENFLO ET AL.

Art Unit

3724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 12-20-2006.
2. ☒ The allowed claim(s) is/are 26.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☒ All b) ☐ Some\* c) ☐ None of the:  
1. ☒ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  
1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.  
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.  
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)  
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
2. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_.  
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material  
5. ☐ Notice of Informal Patent Application  
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.  
7. ☐ Examiner's Amendment/Comment  
8. ☒ Examiner's Statement of Reasons for Allowance  
9. ☐ Other \_\_\_\_\_

*Hwei-Siu C. Payer*  
Hwei-Siu C. Payer  
Primary Examiner

### **Reasons for Allowance**

The following is an examiner's statement of reasons for allowance:

Claim 26 is allowable over the prior art of record. An anti-vibration system comprises a vibration-reducing element and a threaded adjusting element in communication with the vibration-reducing element, and wherein the threaded adjusting-element is selectively actuated to adjust the vibration-reducing element is known in the art as evidenced by Naslund (U.S. Paten No. 5,038,480). Also, anti-vibration system in the form of rubber liquid chambers capable of changing volumes by elastic deformation is well known in the art as evidenced by Dan et al. (U.S. Patent No. 4,535,976). However, the claimed handheld implement comprising a vibration-reducing element having a hollow damping element filled with a fluid in combination with a threaded adjusting element that is selectively actuated to adjust the vibration-reducing element is not shown or made obvious by the prior art of record or any combination thereof.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

**Point of Contact**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hwei-Siu C. Payer whose telephone number is 571-272-4511. The examiner can normally be reached on Monday through Friday, 7:00 am to 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for official communications and 571-273-4511 for proposed amendments.

H Payer  
January 11, 2007

*1812 Payer*

Hwei-Siu Payer  
Primary Examiner